Author Index of Volume 161

Adler, R., 105
Albertini, G., 157
Alpas, A. T., 273

Benedetti, A., 157
Benghalem, A., 255
Bhansali, K. J., 105
Blank, P., 295
Brown, S. A., 187
Bush, M. B., 127
Busso, E. P., 165

Carsughi, F., 157
Chaturvedi, M. C., 267
Chawla, K. K., 303
Chen, J., 97
Chen, S., 135
Cho, Y. S., 65
Colas, R., 201
Conrad, J. R., 97

De Hosson, J. T. M., 83
De Morais, M. M., 157
Delaey, L., 75
Detemple, I., 41
Dodd, R. A., 97

Engdahl, R. E., 303
Evans, A. G., 285

Francescangeli, O., 157
Froyen, L., 75

Geotti-Bianchini, F., 157
Ghonem, H., 13
Ghonem, H., 45
Goretta, K. C., L7
Grabski, M. W., 55
Grinberg, A., 201

Ha, J. S., 303
Hanada, S., 91
Hao, Y., 195
Hatta, H., 213
Hsueh, C.-H., L1
Huang, J.-H., 247
Huang, S.-P., 247

Ishikawa, T., 213

Jena, A. K., 267

Karanović, Lj., 237
Kattamis, T. Z., 105
Khaira, H. K., 267
Klassen, R. J., 181
Kobayashi, K. F., 237
Koch, C. C., 65
Kostorz, G., L11
Kozubski, R., L11
Krell, A., 295
Krstanović, M., 237
Kumar, K. S., 187

Laird, C., 1
Laird, C., 23
Lavernia, E. J., 221
Le Brun, P., 75
Levi, C. G., 285
Levy, M., 105
Li, Y., 23
Liang, X., 221
Linsey, G., 45
Liu, H. S., 135
Llanes, L., 1

Mackin, T. J., 285
Marquis, P. M., 119
McClintock, F. A., 165
Michalek, A., L11
Monzen, R., 209
Mori, T., 209
Morris, D. G., 255

Oliferuk, W., 55

Passerone, A., 31
Ponton, C. B., 119

Ramalingam, S., 105
Ramaswami, B., 181
Ricci, E., 31
Rosenberger, A., 13
Routbort, J. L., L7
Ruppersberg, H., 41
Rustichelli, F., 157

Saito, S., 91
Schwander, P., L11
Shen, P., 135
Shingu, P. H., 237
Skala, D., 237
Soltys, J., L11
Stefanon, M., 157
Swiatnicki, W. A., 55

Takei, T., 213
Thompson, A. C., L7
Thompson, M., 45
Tian, J. F., 195
Tsai, H. L., 145
Tsai, P. C., 145
Tu, D. C., 145

Van Brussel, B. A., 83

Wachi, T., 91
Wang, J., 119
Wang, Z. G., 195
Weatherly, G. C., 181
Wen, Y., 45
Whittenberger, J. D., 187

Yang, J. Y., 285

Zdujic, M., 237
Zhang, J., 273
Zheng, D., 13
Zheng, D., 45

Elsevier Sequoia

Materials Science and Engineering, A161 (1993) 321–324

Subject Index of Volume 161

3D composites
  thermal expansion behavior of skeletonized 3D-composites, 213
Adsorption
  surface tension and its relations with adsorption, vapourization and surface reactivity of liquid metals, 31
Alloys
  evaluation of the strength and adherence of soft cobalt-base and hard TiN coatings on 4340 low alloy steel, 105
  hydriding of zirconium alloys in hydrogen gas, 247
  microstructure and mechanical properties of concentrated copper–niobium alloys prepared by mechanical alloying, 255
  plastic instability in a heat-treatable aluminium alloy, 201
  the modelling of the mechanical alloying process in a planetary ball mill: comparison between theory and *in-situ* observations, 75
  wear regimes and transitions in Al_2O_3 particulate reinforced aluminum alloys, 273
Alumina
  the microstructure of pressureless sintered silver-toughened alumina: an *in situ* TEM study, 119
Aluminium
  environmentally compatible double coating concepts for sapphire fiber-reinforced γ-TiAl, 285
  mechanical behavior of TiB_2-particulate reinforced $Al_{66}Ti_{25}Mn_9$ produced by ingot metallurgy, 187
  plastic instability in a heat-treatable aluminium alloy, 201
  solidification and microstructure evolution during spray atomization and deposition of Ni_3Al, 221
  TiC-strengthened Al_2O_3 by powder tailoring and doping procedures, 295
  wear regimes and transitions in Al_2O_3 particulate reinforced aluminum alloys, 273
Amorphization
  amorphization by mechanical attrition in the Nb–Ge system: extension of the amorphous composition range, 65
Annealing
  annealing-induced defect clustering at $Ni_{1-x}O$–Y–partially-stabilized ZrO_2 interfaces, 135
Attrition
  amorphization by mechanical attrition in the Nb–Ge system: extension of the amorphous composition range, 65
Austenite
  effects of heat treatment cycle on equilibrium between ferrite and austenite during intercritical annealing, 267
  rate of energy storage and microstructure evolution during the tensile deformation of austenitic steel, 55

Ball milling
  the modelling of the mechanical alloying process in a planetary ball mill: comparison between theory and *in-situ* observations, 75
Boron
  mechanical behavior of TiB_2-particulate reinforced $Al_{66}Ti_{25}Mn_9$ produced by ingot metallurgy, 187

Carbon
  TiC-strengthened Al_2O_3 by powder tailoring and doping procedures, 295
Coatings
  effect of processing and fiber coating on fiber–matrix interaction in mullite fiber–mullite matrix composites, 303
Cobalt
  evaluation of the strength and adherence of soft cobalt-base and hard TiN coatings on 4340 low alloy steel, 105
Composites
  effect of processing and fiber coating on fiber–matrix interaction in mullite fiber–mullite matrix composites, 303
Container glass
  small-angle neutron scattering study of the microstructure in container glass in correlation with workability problems, 157
Copper
  masing behavior observed in monocrystalline copper during cyclic deformation, 23
  microstructure and mechanical properties of concentrated copper–niobium alloys prepared by mechanical alloying, 255
  substructure evolution of copper polycrystals under different testing conditions: conventional strain control and ramp loading, 1
Crack growth
  effects of temperature and frequency on fatigue crack growth in Ti–B21s monolithic laminate, 45
  influence of prestraining on high temperature, low frequency fatigue crack growth in superalloys, 13

Debonding
  interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
  IX. A simple treatment of Poisson's effect for frictional interfaces, L1
Defect clustering
  annealing-induced defect clustering at $Ni_{1-x}O$–Y–partially-stabilized ZrO_2 interfaces, 135
Deformation
  masing behavior observed in monocrystalline copper during cyclic deformaton, 23
Degradation
  thermal fatigue degradation of an overlay coating, 165
Deposition
  solidification and microstructure evolution during spray atomization and deposition of Ni_3Al, 221
Diffraction
  evaluation of the stress field in a ground steel plate from energy-dispersive X-ray diffraction experiments, 41
Diffusion
  detection of stress relaxation owing to diffusion around a second phase particle by electron microscopy, 209
Doping
  TiC-strengthened Al_2O_3 by powder tailoring and doping procedures, 295

Dosing effects
dose and dose rate effects on the structure of methane plasma source ion implanted 304 stainless steel, 97
Double coating concepts
environmentally compatible double coating concepts for sapphire fiber-reinforced γ-TiAl, 285

Electron microscopy
detection of stress relaxation owing to diffusion around a second phase particle by electron microscopy, 209
Energy dispersive X-ray diffraction
evaluation of the stress field in a ground steel plate from energy-dispersive X-ray diffraction experiments, 41
Energy storage
rate of energy storage and microstructure evolution during the tensile deformation of austenitic steel, 55
Erosion
erosion of heat-treated AISI 4140 steel, L7

Fabrication
a new fabrication process of TiNi shape memory wire, 91
Fatigue
a quantitative investigation of fatigue fracture surfaces by using the Fourier transform method, 195
effects of temperature and frequency on fatigue crack growth in Ti–B21S monolithic laminate, 45
influence of prestraining on high temperature, low frequency fatigue crack growth in superalloys, 13
thermal fatigue degradation of an overlay coating, 165
Ferrites
effects of heat treatment cycle on equilibrium between ferrite and austenite during intercritical annealing, 267
Fibre reinforcement
environmentally compatible double coating concepts for sapphire fiber-reinforced γ-TiAl, 285
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
IX. A simple treatment of Poisson's effect for frictional interfaces, L1
Fibres
effect of processing and fiber coating on fiber–matrix interaction in mullite fiber–mullite matrix composites, 303
Fourier transforms
a quantitative investigation of fatigue fracture surfaces by using the Fourier transform method, 195
Fracture
a quantitative investigation of fatigue fracture surfaces by using the Fourier transform method, 195
Fracture mechanism in constrained Ni interlayers, 181
Friction
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
IX. A simple treatment of Poisson's effect for frictional interfaces, L1

Germanium
amorphization by mechanical attrition in the Nb–Ge system: extension of the amorphous composition range, 65

Heat treatment
effects of heat treatment cycle on equilibrium between ferrite and austenite during intercritical annealing, 267
erosion of heat-treated AISI 4140 steel, L7
plastic instability in a heat-treatable aluminium alloy, 201
Hydrogen
hydriding of zirconium alloys in hydrogen gas, 247

Ingot metallurgy
mechanical behavior of TiB_2-particulate reinforced $Al_{66}Ti_{25}Mn_9$ produced by ingot metallurgy, 187
Intercritical annealing
effects of heat treatment cycle on equilibrium between ferrite and austenite during intercritical annealing, 267
Interfaces
annealing-induced defect clustering at $Ni_{1-x}O$–Y–partially-stabilized ZrO_2 interfaces, 135
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
IX. A simple treatment of Poisson's effect for frictional interfaces, L1
Ion implantation
dose and dose rate effects on the structure of methane plasma source ion implanted 304 stainless steel, 97

Laser glazing
characterization of laser glazed plasma sprayed yttria stabilized zirconia coatings, 145
Laser treatment
residual stresses in the surface layer of laser-treated steels, 83
Liquid metals
surface tension and its relations with adsorption, vapourization and surface reactivity of liquid metals, 31

Manganese
mechanical behavior of TiB_2-particulate reinforced $Al_{66}Ti_{25}Mn_9$ produced by ingot metallugry, 187
Masing behaviour
masing behavior observed in monocrystalline copper during cyclic deformation, 23
Mechanical alloying
microstructure and mechanical properties of concentrated copper–niobium alloys prepared by mechanical alloying, 255
the modelling of the mechanical alloying process in a planetary ball mill: comparison between theory and *in-situ* observations, 75
thermal behaviour of mechanically alloyed $Ni_{50}Mo_{50}$ powders and associated kinetics of amorphous phase transformation, 237
Metals
surface tension and its relations with adsorption, vapourization and surface reactivity of liquid metals, 31
Methane
dose and dose rate effects on the structure of methane plasma source ion implanted 304 stainless steel, 97
Microstructure evolution
rate of energy storage and microstructure evolution during the tensile deformation of austenitic steel, 55
solidification and microstructure evolution during spray atomization and deposition of Ni_3Al, 221
Molybdenum
ordering processes in Ni–Mo: resistometric studies in Ni–15at.%Mo, L11
thermal behaviour of mechanically alloyed $Ni_{50}Mo_{50}$ powders and associated kinetics of amorphous phase transformation, 237
Monolithic laminates
effects of temperature and frequency on fatigue crack growth in Ti–B21S monolithic laminate, 45
Monocrystals
masing behavior observed in monocrystalline copper during cyclic deformation, 23

Mullite fibres
effect of processing and fiber coating on fiber–matrix interaction in mullite fiber–mullite matrix composites, 303
Mullite matrices
effect of processing and fiber coating on fiber–matrix interaction in mullite fiber–mullite matrix composites, 303

Nanocrystals
modelling of nanophase materials, 127
Nanophase materials
modelling of nanophase materials, 127
Neutron scattering
small-angle neutron scattering study of the microstructure in container glass in correlation with workability problems, 157
Nickel
a few fabrication process of TiNi shape memory wire, 91
annealing-induced defect clustering at $Ni_{1-x}O$–Y–partially-stabilized ZrO_2 interfaces, 135
fracture mechanisms in constrained Ni interlayers, 181
ordering processes in Ni–Mo: resistometric studies in Ni–15at.%Mo, L11
solidification and microstructure evolution during spray atomization and deposition of Ni_3Al, 221
thermal behaviour of mechanically alloyed $Ni_{50}Mo_{50}$ powders and associated kinetics of amorphous phase transformation, 237
Niobium
amorphization by mechanical attrition in the Nb–Ge system: extension of the amorphous composition range, 65
microstructure and mechanical properties of concentrated copper–niobium alloys prepared by mechanical alloying, 255
Nitrogen
evaluation of the strength and adherence of soft cobalt-base and hard TiN coatings on 4340 low alloy steel, 105

Ordering processes
ordering processes in Ni–Mo: resistometric studies in Ni–15at.%Mo, L11
Overlay coatings
thermal fatigue degradation of an overlay coating, 165
Oxygen
annealing-induced defect clustering at $Ni_{1-x}O$–Y–partially-stabilized ZrO_2 interfaces, 135
TiC-strengthened Al_2O_3 by powder tailoring and doping procedures, 295
wear regimes and transitions in Al_2O_3 particulate reinforced aluminum alloys, 273

Particulate reinforcement
mechanical behavior of TiB_2-particulate reinforced $Al_{66}Ti_{25}Mn_9$ produced by ingot metallurgy, 187
wear regimes and transitions in Al_2O_3 particulate reinforced aluminum alloys, 273
Phase transformations
thermal behaviour of mechanically alloyed $Ni_{50}Mo_{50}$ powders and associated kinetics of amorphous phase transformation, 237
Plasma spraying
characterization of laser glazed plasma sprayed yttria stabilized zirconia coatings, 145
Plastics
plastic instability in a heat-treatable aluminium alloy, 201
Poisson's effect
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
IX. A simple treatment of Poisson's effect for frictional interfaces, L1
Polycrystals
substructure evolution of copper polycrystals under different testing conditions: conventional strain control and ramp loading, 1
Powders
TiC-strengthened Al_2O_3 by powder tailoring and doping procedures, 295

Ramp loading
substructure evolution of copper polycrystals under different testing conditions: conventional strain control and ramp loading, 1
Resistometric studies
ordering processes in Ni–Mo: resistometric studies in Ni–15at.%Mo, L11

Sapphire
environmentally compatible double coating concepts for sapphire fiber-reinforced γ-TiAl, 285
Second phase particles
detection of stress relaxation owing to diffusion around a second phase particle by electron microscopy, 209
Shape memory wires
a new fabrication process of TiNi shape memory wire, 91
Silver
the microstructure of pressureless sintered silver-toughened alumina: an *in situ* TEM study, 119
Sintering
the microstructure of pressureless sintered silver-toughened alumina: an *in situ* TEM study, 119
Solidification
solidification and microstructure evolution during spray atomization and deposition of Ni_3Al, 221
Spray atomization
solidification and microstructure evolution during spray atomization and deposition of Ni_3Al, 221
Steels
dose and dose rate effects on the structure of methane plasma source ion implanted 304 stainless steel, 97
erosion of heat-treated AISI 4140 steel, L7
evaluation of the strength and adherence of soft cobalt-base and hard TiN coatings on 4340 low alloy steel, 105
evaluation of the stress field in a ground steel plate from energy-dispersive X-ray diffraction experiments, 41
rate of energy storage and microstructure evolution during the tensile deformation of austenitic steel, 55
residual stresses in the surface layer of laser-treated steels, 83
Strain
influence of prestraining on high temperature, low frequency fatigue crack growth in superalloys, 13
substructure evolution of copper polycrystals under different testing conditions: conventional strain control and ramp loading, 1

Stress
detection of stress relaxation owing to diffusion around a second phase particle by electron microscopy, 209
evaluation of the stress field in a ground steel plate from energy-dispersive X-ray diffraction experiments, 41
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
IX. A simple treatment of Poisson's effect for frictional interfaces, L1
residual stresses in the surface layer of laser-treated steels, 83
Superalloys
influence of prestraining on high temperature, low frequency fatigue crack growth in superalloys, 13
Surface reactivity
surface tension and its relations with adsorption, vapourization and surface reactivity of liquid metals, 31
Surface tension
surface tension and its relations with adsorption, vapourization and surface reactivity of liquid metals, 31

Tensile deformation
rate of energy storage and microstructure evolution during the tensile deformation of austenitic steel, 55
Thermal behaviour
thermal behaviour of mechanically alloyed $Ni_{50}Mo_{50}$ powders and associated kinetics of amorphous phase transformation, 237
Thermal expansion
thermal expansion behavior of skeletonized 3D-composites, 213
Titanium
a new fabrication process of TiNi shape memory wire, 91
environmentally compatible double coating concepts for sapphire fiber-reinforced γ-TiAl, 285
evaluation of the strength and adherence of soft cobalt-base and hard TiN coatings on 4340 low alloy steel, 105
mechanical behavior of TiB_2-particulate reinforced $Al_{66}Ti_{25}Mn_9$ produced by ingot metallurgy, 187
TiC-strengthened Al_2O_3 by powder tailoring and doping procedures, 295
Transmission electron microscopy
the microstructure of pressureless sintered silver-toughened alumina: an *in situ* TEM study, 119

Vapourization
surface tension and its relations with adsorption, vapourization and surfce reactivity of liquid metals, 31

Wear
wear regimes and transitions in Al_2O_3 particulate reinforced aluminum alloys, 273

Yttrium
annealing-induced defect clustering at $Ni_{1-x}O$–Y–partially-stabilized ZrO_2 interfaces, 135
characterization of laser glazed plasma sprayed yttria stabilized zirconia coatings, 145

Zirconium
characterization of laser glazed plasma sprayed yttria stabilized zirconia coatings, 145
hydriding of zirconium alloys in hydrogen gas, 247